


Design by Benedito Design



The photograph may not match the reference exactly. Please read the product description to identify the finish.



Download photometric file .ldt / .ies

TECHNICAL CHARACTERISTICS

Type:	Pendant
IP Protection degrees:	IP20
Lampholder:	2 x G5. Warm white (<3700 K)
Power (W):	G5 39W
Bulb included:	2 x G5 39W. Warm white (<3700 K)
Voltage / Frequency:	230V/50-60Hz
Units per box:	4
Net Weight (Kg):	2.92
EAN:	8435111072929



MATERIALS / FINISHES

Structure material: Polyurethane

Structure finish: Matt white

Diffuser material: Methacrylate


Diffuser finish: Tinted

GEAR

Gear included: Yes, electronic


Luminaria		Ensayo		Lámpara	
Código	00-2801-14-M3	Código	00-2801-14-M3	Código	TL5 HO sup80 39W/840
Nombre	Colgante dir/ind 2x39W T5	Nombre	Colgante dir/ind 2x39W T5	Número	2
Familia	- LEDS-C4	Fecha	26-02-2010	Posición	
Eficiencia	65.99%	Sist. de Coordin.	C-G	Flujo Total	6200.00 lm
Valor Máximo	851.07 cd	Posición	C=30.00 G=165.00	Asimétrico	



1050mm x 80mm




Semiplanos C

180.0 ————— 0.0
270.0 ————— 90.0






1




2




3




4




5




6




7




8



9



10



11

