




The photograph may not match the reference exactly. Please read the product description to identify the finish.



Download photometric file .ldt /.ies

TECHNICAL CHARACTERISTICS

Type:	Wall fixture
IP Protection degrees:	IP44
Lampholder:	1 x G9
Power (W):	G9 40
Total power consumption (W):	40
Voltage / Frequency:	220-240V/50-60Hz
Warranty (Years):	2
Units per box:	8
Net Weight (Kg):	0.955
EAN:	8435111097472,00



MATERIALS / FINISHES

Structure material: Zamak
Steel

Structure finish: Chrome

Diffuser material: Tempered glass

Diffuser finish: Opal white

Report No.: 05-1389

Test Time: 2012-12-7 09:55

Luminaire Property

Luminaire Manufacturer: LEDS-C4

Luminaire Category: 05-1389

Lamp Catalog: HALOGEN

Number of Lamps: 1

Luminous Length (mm): 90

Luminous Height (mm): 110

Current: 0.165 A

Power Factor: 0.999

Luminaire Description: ORION

Lamp Description: G9 40W

Lumens per Lamp: 450

Luminous Width (mm): 110

Voltage: 220.7 V

Power: 36.40 W

Photometric Results

CIE Class: Semi-Direct

Measurement Flux: 181.1 lm

Downward Ratio: 28.13%

Horizontal Diffuse Angle(10%,20%,50%,75%): H231.5,H220.3,H172.4,H111.6

Vertical Diffuse Angle(10%,20%,50%,75%): V318.4,V306.4,V257.3,V191.8

Luminaire Efficacy Rating (LER): 5

Max. Intensity: 27.05 cd

Total Rated Lamp Lumens: 450.0 lm

Efficiency: 40.24%

Upward Ratio: 12.12%


Central Intensity: 18.58 cd


Pos of Max. Intensity: H60 V51

Picture Of Luminaire





Luminous Intensity Distribution Curve








1




2



3



4



B

5



6