


Design by Benedito Design



The photograph may not match the reference exactly. Please read the product description to identify the finish.



TECHNICAL CHARACTERISTICS

Type:	Wall fixture
Adjustable $\pm 180^\circ$ on the vertical axis	
IP Protection degrees:	IP20
Lampholder:	1 x G24d1
Power (W):	G24d1 13W
Voltage / Frequency:	220-240V/50Hz
Units per box:	1
Net Weight (Kg):	0.835
EAN:	8435111021965



MATERIALS / FINISHES

Structure material: Aluminium
Structure finish: Satin nickel

GEAR

Gear included: Yes, Magnetic

Download photometric file .ldt /.ies

PAN-103-14




Diffuser material:

Fabric shade

Diffuser finish:

White



PAN-103-20




Diffuser material:

Fabric shade


Diffuser finish:

Beige




Luminaria		Ensayo		Lámpara	
Código	05-2274-U4-82	Código	05-2276-S8-82	Código	PL-C13W/840/2P
Nombre	Aplique HOTELS 13W TC-D G24d-1	Nombre	Aplique HOTELS 13W TC-D G24d-1	Número	1
Familia	- LEDS-C4	Fecha	23-04-2010	Posición	Universal
Eficiencia	60.82%	Sist. de Coorden.	C-G	Flujo Total	900.00 lm
Valor Máximo	103.73 cd	Posición	C=300.00 G=40.00	Sim. en los planos	270-90



Diam=230mm




Semiplanos C

270.0 ————— 0.0
 180.0 ————— 90.0







①



②



③



④

