




Design by Josep Patsí



The photograph may not match the reference exactly. Please read the product description to identify the finish.



Download photometric file .ldt /.ies

TECHNICAL CHARACTERISTICS

Type:	Wall fixture
IP Protection degrees:	IP20
Lampholder:	1 x G9
Power (W):	G9 MAX 75W
Bulb included:	1 x G9 60W
Total power consumption (W):	75
Voltage / Frequency:	230V/50-60Hz
Units per box:	6
Net Weight (Kg):	0.82
EAN:	8435111085202



MATERIALS / FINISHES

Structure material: Aluminium
Steel

Diffuser material: Glass


Structure finish: Golden leaf

Diffuser finish: Tinted

Luminaria		Ensayo		Lámpara	
Código	05-2870-D8-F1	Código	05-2870-D8-F1	Código	66760 ECO
Nombre	Aplicación halogen 60W G9	Nombre	Aplicación halogen 60W G9	Número	1
Familia	- LEDS-C4	Fecha	22-09-2011	Posición	Universal
Rendimiento	40.60%	Sist. de Coorden.	C-G	Flujo Total	980.00 lm
Valor Máximo	102.75 cd	Posición	C=0.00 G=120.00	Sim. en los planos	270-90
Luminaria Redonda	Diam.	120 mm	Altura	105 mm	
Área Luminosa Redonda	Diam.	120 mm	Altura	100 mm	
Área Luminosa Horizontal	0.011310 m2		Área Emisión sobre Pl. 180°	0.012000 m2	
Área Emisión sobre Pl. 0°	0.012000 m2		Área Emisión sobre Pl. 270°	0.012000 m2	
Área Emisión sobre Pl. 90°	0.012000 m2		Área de deslumbramiento a 76°	0.014380 m2	
Tipo de Simetría	Sim. en los planos 270-90	Máximo Ángulo Gamma	180		
Distancia de Ensayo	6.44	Flujo de Ensayo	980.00 lm		
Operador	Asselum T2	Tensión de alimentación	230.00 V		
Temperatura	24.00 °C	Corriente de alimentación			
Humedad	50.00 %	Fotocélula	PRC		
Notas					

Lámparas de la Luminaria					
Familia	Código	Nombre	Flujo lm	Pot. W	Cant.
OSRAM 2006 HS, HM, HD, HR	66760 ECO	HALOPIN® ECO 60W G9	980.00	60.00	1
C.I.E.	57 86 97 48 41	D DIN 5040			
F UTE	0.20 J + 0.21 T	B NBN			
		C42			
		BZ 3 / 4 / BZ 4			

Diam=120mm



Semiplanos C


270.0 — 0.0






180.0 — 90.0

ULOR 21.08 %


DLOR 19.52 %

RN 51.92 %







1




2




3



4



5



6

