




The photograph may not match the reference exactly. Please read the product description to identify the finish.



TECHNICAL CHARACTERISTICS

Type:	Wall fixture
IP Protection degrees:	IP44
Lampholder:	1 x G5
Power (W):	G5 14W
Bulb included:	1 x G5 14W. Warm white (<3700 K)
Total power consumption (W):	15
Voltage / Frequency:	220-240V/50-60Hz
Units per box:	8
Net Weight (Kg):	0.82
EAN:	8435111079874



MATERIALS / FINISHES

Structure material: Aluminium
Steel


Diffuser material: Polycarbonate

Structure finish: Chrome

Diffuser finish: Opal

GEAR

Gear included: Yes, electronic






Download photometric file .ldt /.ies

Luminaria		Ensayo		Lámpara	
Código	05-4375-21-M1	Código	448-CR	Código	TL5 HE sup80 14W/840
Nombre	Aplique 1x14W T5 difusor opal	Nombre	Aplique 1x14W T5 difusor opal	Número	1
Familia	- LEDS-C4	Fecha	31-03-2009	Posición	Universal
Eficiencia	43.37%	Sist. de Coorden.	C-G	Flujo Total	1200.00 lm
Valor Máximo	83.36 cd	Posición	C=0.00 G=60.00	Bisimétrico	

580mm x 38mm

Semiplanos C


















LESS-C4

IMC 05-4375

1 	2 	3 	4 
5 	6 	7 	8 
9 	10 	11 	12 