


Design by Josep Patsí

TRAÇ 15-2870-D9-F1



The photograph may not match the reference exactly. Please read the product description to identify the finish.



Download photometric file .ldt /.ies

TECHNICAL CHARACTERISTICS

Type:	Ceiling fixture
IP Protection degrees:	IP20
Lampholder:	1 x R7s
Power (W):	R7s MAX 300W
Bulb included:	1 x R7s 230W
Total power consumption (W):	300
Voltage / Frequency:	230V/50-60Hz
Warranty (Years):	2
Units per box:	1
Net Weight (Kg):	4.74
EAN:	8435111073612,00



MATERIALS / FINISHES

Structure material: Aluminium
Steel


Structure finish: Silver leaf

Diffuser material: Glass



Diffuser finish: Tinted






Luminaria		Ensayo		Lámpara	
Código	15-2870-D9-F1	Código	15-2870-D9-F1	Código	300T3 Q/CL/P 230V SM
Nombre	Aplique R7s 300W	Nombre	Aplique R7s 300W	Número	1
Familia	- LEDS-C4	Fecha	14-02-2010	Posición	
Eficiencia	35.30%	Sist. de Coord.	C-G	Flujo Total	5600.00 lm
Valor Máximo	794.14 cd	Posición	C=30.00 G=20.00	Sim. en los planos	270-90

Diam=510mm




Semiplanos C






1


a




b




2




3



4



5



6

