


Design by Nahtrang Design



The photograph may not match the reference exactly. Please read the product description to identify the finish.



TECHNICAL CHARACTERISTICS

Type:	Ceiling fixture
IP Protection degrees:	IP23
Lampholder:	2 x E27
Power (W):	E27 18W
Total power consumption (W):	36
Voltage / Frequency:	220-240V/50-60Hz
Units per box:	4
Net Weight (Kg):	1.55
EAN:	8435111086315



MATERIALS / FINISHES


Structure material:	Satin aluminium	Diffuser material:	Acrylic
		Diffuser finish:	Satin

Download photometric file .ldt /.ies

Luminaria		Ensayo			Lámpara	
Código	15-4685-14-M1	Código	15-4685-14-M1		Código	PL ELEC11W/865 E27
Nombre	Plafón 2x11W PL Elec, E27 opal	Nombre	Plafon 2x11W PL Elec. E27 opal		Número	2
Familia	- LEDS-C4	Fecha	14-03-2012		Posición	Universal
Rendimiento	42.68%	Sist. de Coordin.	C-G		Flujo Total	1150.00 lm
Valor Máximo	177.14 cd	Posición	C=0.00 G=0.00		Bisimétrico	
Luminaria Rectangular	Longit.	300 mm	Anchura	300 mm	Altura	100 mm
Área Luminosa Rectangular	Longit.	270 mm	Anchura	270 mm	Altura	15 mm
Área Luminosa Horizontal	0.072900 m2		Área Emisión sobre Pl. 180°		0.004050 m2	
Área Emisión sobre Pl. 0°	0.004050 m2		Área Emisión sobre Pl. 270°		0.004050 m2	
Área Emisión sobre Pl. 90°	0.004050 m2		Área de deslumbramiento a 76°		0.021566 m2	
Tipo de Simetría	Bisimétrico	Máximo Ángulo Gamma			90	
Distancia de Ensayo	6.44	Flujo de Ensayo			1140.00 lm	
Operador	Asselum T2	Tensión de alimentación			230.00 V	
Temperatura	20.00 °C	Corr. aliment.				
Humedad	50.00 %	Fotocélula			PRC	
Notas						

Lámparas de la Luminaria					
Familia	Código	Nombre	Flujo lm	Pot. W	Cant.
PHILIPS 2005 ILCOS FBT,G,C,FSQ	PL ELEC11W/865 E27	MASTER PL electr 11W/865 E27	575.00	11.00	2
C.I.E.	47 78 94 100 43	D DIN 5040			
F UTE	0.43 E	B NBN			
		A30			
		BZ 5			


300mm x 300mm






Semiplanos C


180.0 — 0.0
270.0 — 90.0

ULOR 0.00 %
DLOR 42.68 %
RN 0.00 %







1




2




3



4



5



6

