




FLORENCIA

15-4695-20-M1

Design by Nahtrang Design



The photograph may not match the reference exactly. Please read the product description to identify the finish.



TECHNICAL CHARACTERISTICS

Type:	Ceiling fixture
IP Protection degrees:	IP23
Lampholder:	2 x E27 2 x E27
Power (W):	E27 23W E27 40w
Total power consumption (W):	120
Voltage / Frequency:	220-240V/50-60Hz
Warranty (Years):	2
Units per box:	2
Net Weight (Kg):	1.515
EAN:	8435111086483,00



MATERIALS / FINISHES

Structure material: Steel

Diffuser material: Fabric
shade
Acrylic

Structure finish: White


Diffuser finish: Beige
Satin

Download photometric file .ldt /.ies

Luminaire		Measur.		Lamp	
Code	15-4695-20-M1	Code	15-4695-20-M1	Code	STANDARD S 23W E27
Name	Luminaria 2x23W inc. tela+opal	Name	Luminaria 2x23W inc. tela+opal	Number	2
Line	Eulumdat	Date	30-12-2011	Position	
Efficiency	68.10%	Coordinate system	CG	Total Flux	3200.00 lm
Maximum value	697.75 cd	Position	C=0.00 G=0.00	Double Symmetrical	
Round Luminaire		Diam.	400 mm	Height	135 mm
Round Luminous Area		Diam.	400 mm	Height	135 mm
Horizontal Luminous Area	0.125664 m2	Emitting area on Plane 180°	0.054000 m2	Emitting area on Plane 270°	0.054000 m2
Emitting area on Plane 0°	0.054000 m2	Glare area at 76°	0.082797 m2		
Emitting area on Plane 90°	0.054000 m2				
Symmetry Type	Double Symmetrical	Maximum Gamma Angle	180	Measurement Flux	3200.00 lm
Measurement Distance	0.00				
Operator	Asselum T2	Source voltage	25.00 °C	Source current	60.00 %
Temperature	25.00 °C	Photocell			
Humidity	60.00 %				
Notes					

Luminaire Lamps					
Line	Code	Name	Flux [lm]	Pow. [W]	Q.ty
Eulumdat	STANDARD S 23W E27	STANDARD S 23W E27 - 23.00 W	1600.00	23.00	2
C.I.E.	48 79 95 89 68	D DIN 5040	B31		
F UTE	0.60 E + 0.08 T	B NBN	BZ 4 / 3 / BZ 5		


Diam=400mm






C Halfplanes


180.0 — 0.0
270.0 — 90.0

ULOR 7.68 %
DLOR 60.42 %
RN 11.28 %







1




2




3



4



5



6

