


**OUT** 

# AFRODITA

## 15-9480-34-37



The photograph may not match the reference exactly. Please read the product description to identify the finish.




### DESCRIPTION

Straight edged light unit. Injected aluminium body with clear glass diffuser. Offered in two sizes, and finished in light grey or dark grey. Compatible with LED, compact fluorescent and halogen lamps.

### TECHNICAL CHARACTERISTICS

Type:	Ceiling fixture
IP Protection degrees:	IP54
IK Protection degrees:	IK05
Lampholder:	1 x GU10
Power (W):	GU10 MAX 35W
Total power consumption (W):	35
Voltage / Frequency:	230V/50-60Hz
Units per box:	8
Net Weight (Kg):	0.42
EAN:	8435111082201




### MATERIALS / FINISHES

**Structure material:** Injected aluminium


**Diffuser material:** Glass

**Structure finish:** Grey


**Diffuser finish:** Transparent



Download photometric file .ldt / .ies




CRISTAL TRANSPARENTE  
TRANSPARENT GLASS




ALUMINIO EXTRUDIDO  
EXTRUDED ALUMINUM

ALUMINIO INYECTADO  
INJECTED ALUMINUM




PLANTILLA DE INSTALACIÓN  
INSTALLATION TEMPLATE


①



②



③



④

