



Design by Nahtrang Design




The photograph may not match the reference exactly. Please read the product description to identify the finish.



TECHNICAL CHARACTERISTICS

Type:	Floor lamp
Adjustable 350° on the vertical axis.	
IP Protection degrees:	IP20
Lampholder:	1 x E27 1 x E27
Power (W):	E27 100w E27 23w
Total power consumption (W):	100
Voltage / Frequency:	220-240V/50-60Hz
Warranty (Years):	2
Units per box:	4
Net Weight (Kg):	6.07
EAN:	8435111086582,00



MATERIALS / FINISHES

Structure material: Steel


Structure finish: Old brown

Download photometric file .ldt /.ies

PAN-161-14



Structure material: Steel
Structure finish: White
Diffuser material: Fabric shade
Diffuser finish: White




IP20

PAN-161-BY



Structure material: Steel
Structure finish: White
Diffuser material: Fabric shade
Diffuser finish: Sandblasted




IP20

PAN-162-J6



Structure material: Steel
Structure finish: White
Diffuser material: Fabric shade
Diffuser finish: Brown




IP20

PAN-184-BY



Structure material: Steel
Structure finish: White
Diffuser material: Fabric shade
Diffuser finish: Sandblasted




IP20

PAN-184-14



Structure material: Steel
Structure finish: White

Diffuser material: Fabric shade
Diffuser finish: White




PAN-185-J6



Structure material: Steel

Diffuser material: Fabric shade
Diffuser finish: Brown




PAN-180-14



Structure material: Steel
Structure finish: White

Diffuser material: Fabric shade
Diffuser finish: White




IP20

PAN-180-BY



Structure material: Steel
Structure finish: White

Diffuser material: Fabric shade
Diffuser finish: Sandblasted



IP20

PAN-188-20**Structure material:**

Steel

Structure finish:


White

Diffuser material:

Fabric shade

Diffuser finish:

Beige



IP20

PAN-181-14**Structure material:**

Steel

Structure finish:


White

Diffuser material:

Fabric shade

Diffuser finish:

White



IP20

PAN-181-BY**Structure material:**

Steel

Structure finish:


White

Diffuser material:

Fabric shade

Diffuser finish:

Sandblasted



IP20

PAN-189-20**Structure material:**

Steel

Structure finish:


White

Diffuser material:

Fabric shade

Diffuser finish:

Beige



IP20


PAN-176-14



Structure material: Steel

Diffuser material: Fabric shade

Diffuser finish: White




PAN-176-BY



Structure material: Steel

Diffuser material: Fabric shade


Diffuser finish: Sandblasted



Luminaire			Measur.			Lamp		
Code	25-4695-81-82		Code	25-4695-81-82		Code	STANDAR GOC 100W O	
Name	Pie 1x100W A55 + PAN-159		Name	Pie 1x100W A55 + PAN-159		Number	1	
Line	- LEDS-C4		Date	20-11-2013		Position	Universal	
Efficiency			82.09%			Coordinate system		
			CG			Total Flux		
			1340.00 lm					
Maximum value			194.46 cd			Position		
			C=90.00 G=50.00			Double Symmetrical		
Round Luminaire			Diam.			420 mm		
Round Luminous Area			Diam.			420 mm		
Horizontal Luminous Area			0.138544 m2			Emitting area on Plane 180°		
Emitting area on Plane 0°			0.130200 m2			Emitting area on Plane 270°		
Emitting area on Plane 90°			0.130200 m2			Glare area at 76°		
Symmetry Type			Double Symmetrical			Maximum Gamma Angle		
Measurement Distance			6.44			Measurement Flux		
			180			1209.00 lm		
Operator			Asselum T2			Source voltage		
Temperature			20.00 °C			Source current		
Humidity			52.00 %			Photocell		
Notes						PRC		

Luminaire Lamps					
Line	Code	Name	Flux [lm]	Pow. [W]	Q.ty
PHILIPS 2005 ILCOS IA,IB,IC	STANDAR GOC 100W O	STANDAR GOCCIA 100W E27 OPALE	1340.00	100.00	1
C.I.E.	32 75 91 53 82	D DIN 5040	C21		
F UTE	0.43 I + 0.39 T	B NBN	BZ 6 / 2.5 / BZ 5 / 3 / BZ 6 / 4 / BZ 5		

Diam=420mm



C Halfplanes

180.0 — 0.0
270.0 — 90.0

ULOR 38.76 %
DLOR 43.33 %
RN 47.21 %

