

# COLUMN PROMENADE 3M

## 81-3137-AU-AU

OUT 



The photograph may not match the reference exactly. Please read the product description to identify the finish.

[Download photometric file .ldt /.ies](#)

### DESCRIPTION

Designer luminaire for urban lighting. Comes with a high grade aluminium reflector and curved toughened glass closure. IP 66 for optical group. Light casing designed for power ratings from 35W to 150W, using lamp-holders E27, E40, G12 and PGZ12, according to the type of lamp. Magnetic equipment incorporated: Vossloh, ELT. Electronic equipment incorporated: Philips.

### TECHNICAL CHARACTERISTICS


|                        |                  |
|------------------------|------------------|
| Type:                  | Column           |
| IK Protection degrees: | IK10             |
| Warranty (Years):      | 2                |
| Units per box:         | 1                |
| Net Weight (Kg):       | 31               |
| EAN:                   | 8435111066614,00 |



### MATERIALS / FINISHES

**Structure material:** S-235-JR hot-dipped galvanized steel

**Structure finish:** Baked-on grey paint



ACER AL CARBONI  
S-235-JR,  
GALVANIZAT PER  
IMMERSIÓ EN  
CALENT I PINTAT  
EN COLOR GRIS  
ALUMINI ACABAT AL  
FORN.

HOT-DIPPED  
GALVANISED  
CARBON STEEL  
S-235-JR IN  
ALUMINIUM GREY,  
BAKED FINISH.

| CODE    | H (mm) | Ø (mm) | HARD<br>K=15 |        | NORMAL<br>K=10 |        | SOFT<br>K=5 |        | BOLTS<br>SIZES | BASES<br>SIZES |
|---------|--------|--------|--------------|--------|----------------|--------|-------------|--------|----------------|----------------|
|         |        |        | a (cm)       | h (cm) | a (cm)         | h (cm) | a (cm)      | h (cm) |                |                |
| 81-3123 | 4000   | 60     | 45           | 60     | 50             | 65     | 55          | 77     | M18x500 mm     | 1              |
| 81-3128 | 5000   | 100    | 45           | 65     | 50             | 65     | 55          | 77     | M18x500 mm     | 1              |
| 81-3132 | 7000   | 120    | 45           | 75     | 55             | 75     | 60          | 85     | M22x600 mm     | 2              |
| 81-3133 | 7000   | 120    | 45           | 75     | 45             | 75     | 60          | 85     | M22x600 mm     | 2              |
| 81-3137 | 3000   | 100    | 45           | 60     | 50             | 60     | 55          | 77     | M18x500 mm     | 1              |
| 81-3140 | 5000   | 100    | 45           | 65     | 50             | 65     | 55          | 77     | M18x500 mm     | 1              |
| 81-3145 | 4000   | 60     | 45           | 60     | 50             | 65     | 55          | 77     | M18x500 mm     | 1              |
| 81-3148 | 3000   | 220    | 45           | 60     | 50             | 60     | 55          | 77     | M18x500 mm     | 3              |
| 81-3149 | 7000   | 60     | 45           | 70     | 55             | 70     | 60          | 85     | M22x600 mm     | 2              |
| 81-3151 | 4000   | 60     | 45           | 60     | 50             | 65     | 55          | 77     | M18x500 mm     | 1              |

