





The photograph may not match the reference exactly. Please read the product description to identify the finish.



TECHNICAL CHARACTERISTICS

Type:	Led strip
IP Protection degrees:	IP68 (1m)
Bulb:	60 x LED. Warm White - 3000K
Power (W):	14,4
CRI:	75
Angle Óptiques:	120°
Voltage / Frequency:	12VDC
Warranty (Years):	3
Option to extend the guarantee:	Yes, 5 years
Units per box:	55
Net Weight (Kg):	0.335
EAN:	8435111072400,00



MATERIALS / FINISHES

Structure material: Aluminium


Diffuser material: Polycarbonate

Structure finish: Matt

Diffuser finish: Transparent


GEAR

Necessary equipment not included. For more information check website / catalogs / sales organization.



Download photometric file .ldt / .ies

71-0017-00-00



IP20

71-3411-56-56





Structure material:


Aluminium

Luminaria		Ensayo		Lámpara	
Código	91-3408-54-M2	Código	91-3412-54-M2	Código	LAMP 91-3408-54-M2
Nombre	Lum. ION 14.4W leds cálido	NombreLuminaria	ION 7.2W leds blanco	Número	1
Familia	- LEDS C4 LEDS	Fecha	01-07-2009	Posición	Universal
Eficiencia	99.99%	Sist. de Coorden.	C-G	Flujo Total	440.00 lm
Valor Máximo	341.89 cd/klm	Posición	C=0.00 G=0.00	Bisimétrico	


1000mm x 17mm

Semiplanos C





**ACCESORIOS
ACCESSORIES**



X4



X1

**CABLE
WIRE**



GUIA INSTALCIÓN SERIE ION
INSTALLATION GUIDE ION SERIES
INSTALLATIONSANLEITUNG SERIE ION
GUIDE D'INSTALLATION SÉRIE ION
GUIDA DI INSTALLAZIONE SERIE ION







91-3411-54-M2 - WARM WHITE / 510mm

91-3408-54-M2 - WARM WHITE / 1005mm

LEDS-C4 S.A.
CIF A-59410910

Afores, s/n
25750 Torà · Lleida · Spain
T +34 973 46 81 00
F +34 973 46 81 06
e-mail: leds-c4@leds-c4.com

WWW.LEDS-C4.COM



PS
12VDC

71-0035-00-00 - 25 W
 71-0036-00-00 - 50 W
 71-0059-00-00 - 72 W
 71-0060-00-00 - 150 W
 71-0061-00-00 - 240 W
 71-0062-00-00 - 300 W
 71-3479-00-00 - 100 W (IP67)

C
DALI

71-3473-00-00 - 60 W

C
1-10V

71-0727-00-00 - 156W

C
DMX

71-3493-00-00 - 96 W

C
WHITE

71-0017-00-00 - 144 W

A


71-3433-00-00 - 144 W
 71-1553-00-00 - 192 W

WHITE



91-3411-54-M2 (0,5 mt - 7,2W)

91-3408-54-M2 (1,0 mt - 14,4W)


ON / OFF



DIMMING WITH REMOTE CONTROL



1-10V



DALI

